

PORTABLE TELEPHONE HAVING AN EXTERNAL MEMORY UNIT CONNECTOR

BACKGROUND OF THE INVENTION

The present invention relates to a portable telephone and, particularly, to a portable telephone having an external memory unit connector and hence capable of connecting to an external detachable memory unit via the connecting unit.

Recently, portable telephones have spread that enable not only speech communication but also text mail communication. As for the text mail communication, received mails, transmission mails, etc. are memorized in a readable and writable memory unit that is mounted on an internal printed circuit board of a portable telephone together with data such as received dates and sender information. When a user wants to display information of a mail or the like on a display means, he performs predetermined manipulations on a manipulation means, whereupon sender information etc. of the mail or the like is displayed.

If a user wants to keep a received mail, he can keep it forever in the portable telephone by designating it as a mail to be kept. Portable telephones of the type concerned have a function of displaying a list of dates, senders (receivers), titles and the like, when a user want refer to reception/transmission mails.

A portable telephone with a memory card is disclosed in Japanese Patent Laid-Open No. 2000-32169 as a portable telephone having a detachable memory unit.

In this portable telephone with a memory card, a user can check the contents of a conversation later by mounting a detachable memory

card in the portable telephone and recording, in the memory card, what the user and the counterpart say during the conversation using the portable telephone. With this function, even if the user switches portable telephones, he need not do re-registration work if he makes switching to a proper memory card.

However, it is expected that in the future employment of color display means and provision of high-speed communication services will increase mails having a relatively large data amount such as mails containing a photograph or a moving picture whereas text-only mails will also be exchanged. In such a situation, a heavier load will be imposed on the memory unit for memorizing transmitted or received mail information and the number of pieces of information that can be memorized will becomes very small.

Large-capacity memory unit are physically voluminous and expensive. Portable telephones incorporating a large-capacity memory unit are expensive to users who mainly exchange text mails though they are acceptable to users who send and receive mails having a large amount of information.

Conversely, for users who frequently send and receive mails containing such data as a moving picture, a portable telephone incorporating a small-capacity memory unit is difficult to use because the memory unit becomes full of information in a short time.

Where a portable telephone enables use of only a non-detachable memory unit, the only method for transferring data of a photograph, a moving picture, or the like to another electronic device is to perform data communication via a cable. This is inconvenient; that is, this takes time and is cumbersome.

The technique of the publication No. 2000-32169 is merely intended to memorize what the user and the counterpart say during a

conversation using a portable telephone and later check the contents of the conversation, as well as to dispense with telephone number re-registration work by switching memory cards in switching portable telephones used. The portable telephone disclosed in this publication is not valuable to both kinds of users who send and receive mails having a large amount of data and users who mainly exchange text mails.

SUMMARY OF THE INVENTION

An object of the present invention is to provide a portable telephone having an external memory unit connector that can solve the above problems in the art.

To attain the above object, the invention provides a portable telephone having an external memory unit connector. The portable telephone comprises external memory unit that is readable and writable; connector for connecting the external memory unit to the portable telephone; internal memory unit that is readable and writable and is mounted on an internal printed circuit board; and control unit. The control unit controls so as to memorize a mail in either one of the internal memory unit and the external memory unit, and so as to transfer a mail memorized in either one of the internal memory unit and the external memory unit to the other, and so as to display an information memory territory for each mail in displaying a mail list on display means.

More specifically, the invention provides the following portable telephones.

A portable telephone comprises internal memory unit that is readable and writable and is contained inside the portable telephone; external memory unit that is readable, writable, and detachable; connector for connecting the external memory unit to a main body of the portable telephone; and control unit. The control unit controls so as to

memorize information in ether one of the internal memory unit and the external memory unit, and so as to transfer information memorized in ether one of the internal memory unit and the external memory unit to the other, and so as to display an information memory territory for each piece of information, when the external memory unit is connected to the connector.

A portable telephone having an external memory unit connector. The portable telephone comprises internal memory unit that is readable and writable and is contained inside the portable telephone; external memory unit that is readable, writable, and detachable; connector for connecting the external memory unit to a main body of the portable telephone; and control unit. The control unit so as to memorize information in ether one of the internal memory unit and the external memory unit, transferring information memorized in ether one of the internal memory unit and the external memory unit to the other, and so as to display an information memory territory for each piece of information, and so as to change a memory territory of one piece of information whose detailed contents are displayed on display means by causing a user to perform a predetermined manipulation, when the external memory unit is connected to the connector.

A portable telephone having an external memory unit connector. The portable telephone comprises internal memory unit that is readable and writable and is contained inside the portable telephone; external memory unit that is readable, writable, and detachable; connector for connecting the external memory unit to a main body of the portable telephone; and control unit. The control unit controls so as to memorize information in one of the internal memory unit and the external memory unit, and so as to transfer information memorized in either one of the internal memory unit and the external memory unit to the other, and so as

to display an information memory territory for each piece of information by using different colors for the internal memory unit and the external memory unit, when the external memory unit is connected to the connector.

A portable telephone having an external memory unit connector. The portable telephone comprises internal memory unit that is readable and writable and is contained inside the portable telephone; external memory unit that is readable, writable, and detachable; connector for connecting the external memory unit to a main body of the portable telephone; and control unit. The control unit controls so as to memorize information in one of the internal memory unit and the external memory unit, and so as to transfer information memorized in either one of the internal memory unit and the external memory unit to the other, and so as to display an information memory territory for each piece of information, and so as to display on display means, only information memorized in either one of the internal memory unit and the external memory unit, when the external memory unit is connected to the connector.

A portable telephone having an external memory unit connector. The portable telephone comprises internal memory unit that is readable and writable and is contained inside the portable telephone; external memory unit that is readable, writable, and detachable; connector for connecting the external memory unit to a main body of the portable telephone; and control unit. The control unit controls so as to memorize information in either one of the internal memory unit and the external memory unit, and so as to transfer information memorized in either one of the internal memory unit and the external memory unit to the other, and so as to display an information memory territory for each piece of information, and separately displaying information memorized in the internal memory unit and information memorized in the external memory

unit in two divisional parts of a displayable area of display means, when the external memory unit is connected to the connector.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing a portable telephone according to one embodiment of the present invention;

Figs. 2A-2E show pictures that appear in the case where a mail body is displayed and then the mail is transferred to an external memory unit in a portable telephone according to one embodiment of the invention;

Figs. 3A-3E show pictures that appear in the case where a received mail list is displayed and then a selected mail is transferred to the external memory unit in the portable telephone according to the one embodiment of the invention;

Figs. 4A-4E show pictures that appear in the case where a received mail list is displayed and then display of received mails memorized in a specified memory territory is selected in a portable telephone according to another embodiment of the invention; and

Figs. 5A-5E show pictures that appear in the case where a received mail list is displayed and where then received mails memorized in two memory units is separately displaying by dividing the screen of a display unit into two parts is selected in a portable telephone.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Preferred embodiments of the present invention will be hereinafter described in detail with reference to the accompanying drawings.

Fig. 1 is a block diagram showing a portable telephone according to an embodiment of the invention.

As shown in Fig. 1, the portable telephone according to the embodiment has a radio unit 10 for receiving and transmitting, a control unit 11 for controlling the processing of the entire device, a notifying unit 12 for notifying the user of call arrival, a microphone 13 and a receiver 14 for performing speech communication when the user responds to a termination call, a manipulation unit 15 to be manipulated by the user, an internal memory unit 16 and an external memory unit 17 for memorizing received information etc., and a connecting unit 18 as a means for connecting the external memory unit 17 to the portable telephone. Reference numeral 19 denotes a display unit.

This embodiment is characterized in that the following two functions are added to the control unit 11. The first function enables the user to transfer information memorized in one of the internal memory unit 16 and the external memory unit 17 to the other by manipulating the manipulation unit 15. The second function is such that when information is displayed on the display unit 19 (display means), a memory territory (memory unit; the internal memory unit 16 or the external memory unit 17) where each piece of information is memorized is also displayed.

Next, the operation of the above portable telephone will be described.

Figs. 2A-2E show examples of items that are caused to be displayed on the display unit 19 by the control unit 11 when information is transferred from one of the internal memory unit 16 and the external memory unit 17 to the other in the above portable telephone.

For example, assume that the portable telephone has received 10 mails and all of them have been memorized in the internal memory unit 16 automatically. When a key on the manipulation unit 15 that is assigned to display of a predetermined mail menu is depressed in a state that no manipulation or speech is being performed with the portable

telephone, the mail menu is displayed as shown in Fig. 2A. The user selects a mail category such as received mails, transmission mails, or non-transmission mails.

If "Received mail list" is selected by moving the cursor (the characters are hatched (or inverted), however, encircled by a simple solid line in the figure for a purpose of clarifying the illustration) and depressing the decision key, a received mail list is displayed as shown in Fig. 2B.

In general, the display means of portable telephones are much smaller than those of notebook-sized personal computers etc. Therefore, the display method of a received mail list is restricted to a manner that a received date and a title, each of which consists of several characters, of each received mail are displayed.

Then, the user selects a mail whose contents he wants to check. For example, if the user wants to display a mail having a title "Title-1," he moves the cursor to the row of the intended mail (the characters are hatched (or inverted), however, encircled by a simple solid line in the figure for a purpose of clarifying the illustration) and depresses the decision key, whereupon the title, sender, and body of the selected mail are displayed on the display unit 19 as shown in Fig. 2C.

If not all of the mail body cannot be displayed as one page on the display unit 19, the user can scroll the page line by line or page by page by performing predetermined manipulations on the manipulation unit 15.

A mail processing menu follows the mail body as shown in Fig. 2D. If the displayed mail is no longer necessary, the user selects "Erase," whereupon all the information relating to the displayed mail is erased from the internal memory unit 16.

If the user selects transfer to the external memory unit 17, all the information relating to the displayed mail is transferred to the external memory unit 17 which is a readable, writable, and detachable memory

unit. When a received mail list is displayed again, a character "s" is shown at the head of the row of the transferred mail as shown in Fig. 2E.

A mail for which the character "s" is shown is a mail that is memorized in the external memory unit 17, and a mail for which the character "s" is not shown is a mail that is memorized in the internal memory unit 16. It goes without saying that characters or symbols may be assigned to the two respective kinds of mails. If information or data need not be erased or transferred, the user performs predetermined manipulations on the manipulation unit 15, whereupon a received mail list is displayed. Where the mail processing menu that is displayed after the mail body includes, in addition to "Erase" and "Transfer to external memory," an item "Return to received mail list," a received mail list can also be displayed by selecting this item.

Although the above description is directed to the case of transferring a mail from the internal memory unit 16 which is the memory unit incorporated inside the portable telephone to the external memory unit 17 which is a readable, writable, and detachable memory unit, a mail can be transferred in the opposite way by a similar method.

The example of Figs. 2A-2E is directed to the transfer method that is used in a state that the body of an individual mail is displayed. Figs. 3A-3E show examples of items that are displayed on the display unit 19 when a mail is transferred in a state that a received mail list is displayed. The pictures of Figs. 3A and 3B that appear in displaying a received mail list are the same as those of Figs. 2A and 2B.

When the user selects a mail to be transferred by performing predetermined manipulations on the manipulation unit 15, the selected mail (in this example, title-3) is underlined as shown in Fig. 3C. That is, the underline indicates that the corresponding mail has been selected. The user can select a plurality of mails if he wants to do so. After

completing the selecting manipulations, the user selects one kind of processing from a processing menu that follows the received mail list, whereupon the selected mail is processed.

If "Erase" is selected, all of the selected mails are erased. If "Transfer to external memory" is selected as shown in Fig. 3D, all information of the selected mail is transferred to the external memory unit 17 which is a readable, writable, and detachable memory unit. When a received mail list is displayed again automatically, a character "s" is shown at the head of the row of the transferred mail as shown in Fig. 3E.

Mail transfer is completed in the above-described manner. If there are more than 100 received mails and a mail to be erased, transferred, or otherwise processed is located approximately at the center of a received mail list, cumbersome manipulations are needed to use the processing menu to be displayed after the received mail list. To cope with this case, it is possible to provide a function of jumping to the processing menu by performing prescribed manipulations after completing selecting manipulations.

Memory territories where respective mails are memorized are discriminated from each other by showing a character, a symbol, or the like for each mail. In portable telephones capable of color display, memory territories where respective mails are memorized can be discriminated from each other by using different colors for the respective memory territories. In this case, no character or the like is displayed for the purpose of discrimination between the memory territories and hence the number of characters to be used for display of a date, a title, etc. can be increased as much.

Figs. 4A-4E show examples of items that are displayed on the display unit 19 of a portable telephone according to another embodiment of the invention in which the control unit 11 enables display of a list of

mails that are memorized in one of the internal memory unit 16 and the external memory unit 17. A received mail list is displayed in the same manner as described above.

When the user wants to display a list of mails that are memorized in one of the internal memory unit 16 and the external memory unit 17 in a state that a received mail list is displayed, he selects a menu item "Display of mails memorized in specified memory territory" (the characters are actually hatched (or inverted), however, encircled by a simple solid line in the figure for a purpose of clarifying the illustration) from a processing menu that follows the received mail list as shown in Fig. 4C. Upon the selection of this menu item, a mail display selection menu is displayed as shown in Fig. 4D. Then, the user selects one of the internal memory unit 16 and the external memory unit 17 the mails memorized in which he wants to have displayed.

If the external memory unit 17 is selected, a received mail list is displayed on the display unit 19 in which a character "s" indicating that the corresponding mail is memorized in the external memory unit 17 is shown at the head of the row of every mail displayed (see Fig. 4E).

If the internal memory unit 16 is selected from the mail display selection menu, a list of received mails memorized in the internal memory unit 16 is displayed. In this list, the character "s" is not shown at the head of any row.

The portable telephone may be configured in such a manner that the processing menu that follows a list of mails memorized in the internal memory unit 16 or the external memory unit 17 includes a menu item for allowing the user to transfer a mail to the other memory unit, and that if this menu item is selected the mail can be transferred. Naturally, this operation is controlled by the control unit 11.

Figs. 5A-5B show examples of items that are displayed on the display unit 19 of a portable telephone according to still another embodiment of the invention in which the control unit 11 has a control function of separately displaying a list of mails memorized the internal memory unit 16 and a list of mails memorized in the external memory unit 17 by dividing the screen of the display unit 19. A received mail list is displayed in the same manner as described above.

A mail processing menu that follows a mail list includes an item "Divisional list display." If the user selects the menu item "Divisional list display" by performing predetermined manipulations on the manipulation unit 15 (the characters are actually hatched (or inverted), however, encircled by a simple solid line in the figure for a purpose of clarifying the illustration) as shown in Fig. 5C, the control unit 11 displays a list of received mails memorized the internal memory unit 16 and a list of received mails memorized in the external memory unit 17 by dividing the screen into two parts that are arranged in the vertical direction.

In this embodiment, as shown in Figs. 5D and 5E, the list of received mails memorized the internal memory unit 16 and the list of received mails memorized in the external memory unit 17 in the top part and the bottom part of the screen, respectively.

If in browsing the mail lists the user wants to search the list of received mails memorized in the internal memory unit 16 though the received mail of title-1 that is memorized in the external memory unit 16 is currently selected as shown in Fig. 5D, he moves the cursor by performing predetermined manipulations on the manipulation unit 15 so as to select a received mail memorized in the internal memory unit 16. This allows the user to search a desired received mail list freely.

Although each of the above embodiments is directed to the case of handling the information of received mails, it goes without saying that

the information of transmission mails or the like can be handled by performing similar manipulations.

The invention provides the following advantages.

The user can select a memory unit having a capacity that is suitable for him. When the amount of information to be memorized increases, the user may simply change the external memory unit to the one having a larger capacity so as to correspond to the increased amount of information. This brings about enhanced ease of use to the user.

Since the external memory unit is detachable, information can easily be transferred to another electronic device.

1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------